

INDEX TO VOLUME 74

A

- Abalone, 79
- Absorption, salt, 297-309
- Abundance, Atlantic salmon, decline, 191-195
 - kiyi, 143-165
- Acridavine, as disinfectant, 33
- Adams, William C., 3
- Age and growth, bloater, Lake Ontario
 - kiyi, 89-194
- Age composition, kiyi, Lake Michigan, 92-96
- Aguja, 77
- Albacore, 72
- Albulidae
 - Albula vulpes*, 77, 267-275
- Alewite, Lake Ontario, 234-237
- Algae, blue-green, 254-255
 - filamentous, 254-255, 340
 - in Hawaiian fish ponds, 25-261
- Alkalinity, methyl-orange, 224-228
 - Tennessee streams, 223-229
- Almeja, 77
- Ameluridae
 - Amelurus natalis*, 360-369
- Ammonia content, ponds, 340-343
- Ammonium sulphate, fertilizer, 342-343
- Amphora, 254-255, 272
- Anchoviella purpurea, 265, 267, 270-275
- Anchovy, Hawaiian, 265, 267, 270-275
- Amenia, 212-215
 - of trout, 81-87
- Angling experiment, trout, 63-70
- Annelida
 - Nereis* sp., 268-271
- Archaeon formation, 225
- Arctocorixa, 268-271
- Argyreus brevicornis, 76
 - cerstedii, 76
- Arliidae
 - Sciadeichthys troscheli*, 76
- Artificial propagation, Atlantic salmon, 188-208
 - efficiency, 199-206
- Atarrayas, 78
- Atún, 72
- Audouinia semi-cinctus, 274
- Au Sable River, trout plantings, 37-47

B

- Bacalao, 73
- Bacterial disease, 22-23, 81
- Bacterium salmonicida, 23, 26-34
- Bagre, 76
- Baker, Clarence M. (In Memoriam), 10
- Ball, Robert C., 360-369
- Barrauda, 74
 - Hawaiian, 267-275
- Barrilete, 73
- Bass, largemouth, tagging, 360-369
 - rock, 75
 - smallmouth, pond production, 338-349
- Baths, salt, 297-309
- Bathymetric distribution, kiyi, 147-155
- Batis maritima, 254-255, 265-266
- Baya, 75
- Belonidae
 - Strongylura* sp., 77
- Benthonic plants, 265
- Biotic interaction, fish ponds, 262-280
- Bithynia grandimanus, 267-275
- Blackin, Lake Michigan, 144
- Blackledge River, population depletion, 166-187

- Bloater, Lake Michigan, 144-145
 - Lake Ontario, 230-249
- Blood salt, 297-309
- Bluegill, tagging, 360-369
- Bocado de Dios, 76
- Bolvinita, 255
- Bombing, re smelt mortality, 317
- Bonefish, 267-275
- Bonito, 72
- Branchiostegidae
 - Caulolatilus princeps*, 76
- Bullhead, tagging, 360-369
- "Burro", 77
- By-Laws and Constitution, 373-376

C

- Cabrilla, 75
- Calculation, disinfectant quantities, 210-215
- Callinectes toxotes, 78
- Camarón, 78
- Cambrian formation, 225
- Carangidae
 - Argyreus brevicornis*, 76
 - cerstedii, 76
 - Caranx, 72
 - sexfasciatus, 267-275
 - Trachinotus sp., 77
- Carchariidae
 - Eulamia, 73
- Carp, 22
- Cascadilla Creek, angling experiment, 63-70
- Cast nets, 78
- Catán, 76
- Catch, correlation, 207-208
 - per unit effort, smelt, 327-331
 - trout, 174-182
- Catfish, 22
 - sea, 76
- Catostomidae
 - Catostomus catostomus*, 234-237
 - commersonnii, 234-237
- Cazón, 73
- Centrarchidae
 - Huro salmoides*, 360-369
 - Lepomis gibbosus*, 360-369
 - macrochirus, 360-369
 - Micropterus dolomieu*, 338-349
- Centropomidae
 - Centropomus*, 75
- Certificate of incorporation, 372
- Chanidae
 - Chanos chanos*, 74-75, 250-261, 262-263
 - 267-275
- Chapeta, 76
- Chaitanogga shale formation, 225
- Cherna, 76
- Chilodon, 24, 219
- Chlorides, blood, 297-309
- Chlorine, as disinfectant, 27-32
- Chloromyxum sp., 24
- Chub, Lake Michigan, 144-145
- Chucumite, 75
- Chute, Walter H., 4
- Cierras, 78
- Cisco fishery, Lake Ontario, 230-249
- Cladophora, 252, 254-255, 265, 340
- Clam, Fismo, 80
- Clark, Arthur L., 4
- Clemens, W. A., 4
- Cleupeidae
 - Pomolobus pseudoharengus*, 234-237
 - Sardinops caerulea*, 72

- Cobb, Kenneth E., 3
 Coefficient of condition, 122-127
 Committees, membership of, 4-5
 Concentrations, disinfectant, 219-221
 Concha madre perla, 80
 Condition, coefficient of, 122-127
 Lake Ontario bloaters, 238-239
 Congener, 252
 Conservation, kiyl, 140-141
 Constitution and by-laws, 373-376
 Control, hatchery diseases, 209-222
 Convict Creek, Calif., trout spawning, 281-296
 Copepods, 255
 Copper sulphate, for fungus control, 34
 Corbina, 75
 Coregonidae
 Coregonus clupeaformis, 234-237
 Leucichthys alpenae, 144
 arcti, 144, 230-234
 kyi, 144-145, 230-249
 kyi, 89-142, 143-165, 230-249
 nigripinnis, 144
 reighardi, 144-145, 158, 230-249
 semihicus, 144-145
 prosoptum cylindraceum quadrilaterale, 234-237
 Cornuda, 73
Corophium sp., 268-271
 Correlation, commercial and rod catches, 207-208
 Coryphaenidae
 Coryphaena hippurus, 77
Coscinodiscus, 254-255
Costia, 24, 219
 Cottidae
 Cottus cognatus, 234-237
 Trigloporus thompsonii, 234-237
 Cottonseed meal, fertilizer, 342-343
 Crab, Hawaiian, 267-275
 Mexican, 78
 mud, 267-275
 red, 267-275
 Samoan, 267-275
 swimming, 273
Orangon crassimanus, 268-271, 273
 Crappie, 24
 Cretaceous formation, Upper, 225
Crietovomer namaycush, 234-237
 Crustacea
 Bithynis grandimanus, 267-275
 Callinectes toxotes, 78
 Corophium sp., 268-271
 Orangon crassimanus, 267-275
 Daphnia, 351
 Euphyllax dovii, 78
 Gammarus, 273
 Leander debilis, 255, 267-275
 pacificus, 267-275
 Mexican, 71-80
 Mysis, 155
 relicta, 236-237
 Panopeus pacifica, 267-275
 Panulirus inflatus, 79
 interruptus, 79
 Penaeus californiensis, 78
 stylirostris, 78
 vannames, 78
 Podophthalmus vigil, 267-275
 Pontoporeia, 155
 kyi, 236-237
 Portunus sanguinolentus, 267-275
 Scylla serrata, 267-275
 Thalmita integra, 273-275
 Cycles, Atlantic salmon runs, 195-199
 food, Hawaiian fishes, 250-261, 262-280
 Oyclopsetta panamensis, 76
 guerna, 76
 Cymbella, 254-255, 272
 Cynoscion, 75
 macdonaldi, 73-74
 Cyprinidae
 Margariscus margarita, 24
 Cytophaga columnaris, 23
 D
 Daphnia, 351
 Davis, H. S., 21-25
 Deason, Hilary J., 4, 89-142, 143-165
 Death rate and temperature, 355-359
 Depletion, trout population, 166-187
 Diapterus lineatus, 76
 Diatoms, 254-255
 Diet composition, trout, 83-85
 Disease, bacterial gill, 81
 hatchery, control of, 209-222
 infectious, 21-25
 parasitic, treatment, 219-221
 re smelt mortality, 320
 Disinfectant concentrations, 219-221
 calculation of, 210-215
 Disinfection of hatcheries, 26-34
 Distribution, bathymetric, kiyl, 143-165
 Dolomite, Knox, formation, 225
 Donaldson, Lauren R., 4
 Dorado, 77
 Dytiscus, 272
 Dymond, John R., 4
 E
 Earthquake, re smelt mortality, 317
 Ecological classification, 268-267
 Edema, trout, 302-303
 Eel, 22
 Effect, physiological, sodium chloride, 297-209
 Efficiency, experimental gillnets, 237-238
 Effort, catch per unit, 174-182
 Eggs, definition and measurement, 19-20
 disinfection of, 31
 Eleotridae
 Eliotris fuscus, 267-275
 Elopidae
 Elops affinis, 252
 machnata, 250-261, 267-275
 Enteromorpha, 252, 254-255, 265
 Engraulidae
 Anchoviella purpurea, 265, 267-275
 Eocene formation, 225
 Epinephalidae
 Epinephalus, 75
 Mycteroperca, 75
 Promicrops itaiara, 75-76
 Sterolepis gigas, 75-76
 Eachmeyer, R. W., 3
 Excretion, salt, 297-309
 Eulamia, 73
 Euphyllax dovii, 78
 F
 Feast, C. N., 4
 Feeding habits, Hawaiian pondfishes, 250-261
 Fertilisers, composition of, 342
 Fin clipping, 360-369
 Fingerlings, definition and measurement, 19-20
 Fish (see under common and scientific name)

Fish culture, standard terms, 19-20
 Fish, Frederic F., 209-222
 Fishing effort, trout stream, 169-173
 Food chains, Hawaiian fishes, 250-261, 262-280
 cycles, Hawaiian fishes, 250-261, 262-280
 Foraminifera, 255
 Formalin, disinfectant, 219-221
 Fry, definition and measurement, 19-20
 Fungus, control of, 34
 Furunculosis, 22-23

G

Gallo, 77
Gambusia, 351
Gammarus, 272
 Garfish, 76
 Geological formations, Tennessee streams, 223-229
 Geochemical interpretation, water analyses, 223-229
Gerrho alalunga, 72
 Gerridae
 Diapterus linneatus, 76
 Eucinostomus, 76
 Gerrus cinerius, 76
 Gill disease, bacterial, 81
 disorder, 212-215
 Gillnets, experimental, 92, 94, 145-147
 efficiency, 237-238
 Lake Ontario, 234-239
Globigerina, 255
 Gobiidae
 Gnatholepis anjerensis, 267-275
 Gobichthys papuensis, 267-275
 Goby, Hawaiian, 267-275
 Goose barnacle, 78
 Gordon, Seth, 5
 Gottschalk, John, 4
 Great Lakes, smelt mortality, 310-337
 Griffiths, Francis P., 5
 Grouper, 75
 Growth and age, kiyi, 89-142
 compensation, kiyi, 116-118
 Lake Ontario bloater, 239-243
 rate, change in, 334-336
 marked fish, 367-369
Gyrodactylus, 25, 219

H

Haemulidae
 Pomadys sp., 77
 Halibut, California, 76
Haliotis, spp., 79
Halophila ovalis, 265
 Halophytes, emergent, 265
 Hatchery, disease control, 209-222
 disinfection and maintenance, 26-34
 Hay, as pond fertilizer, 342-343
 Hazard, A. S., 5
 Hemiramphidae
 Hyporhamphus sp., 77
 Herring, lake, 144, 230-244, 312
 Herrington, William C., 4
 Hiatt, Robert W., 250-261, 262-280
 Hildebrand, Samuel F., 4
 Hile, Ralph, 4, 89-142, 143-165
 Hogan, Joe, 3
 Huachinango, 75
 Hubbs, Carl L., 4
Huro salmoides, 350-369
 Huro, Lake, smelt mortality, 310-337
 Hunter, R. E., 3, 14-15
 Huntsman, A. G., 4
Hydrodictyon, 340

Hydrogen-ion concentration, 224-228
Hydrophilus, 271
Hyporhamphus sp., 77

I

Ice formation and smelt mortality, 318
Ichthyophthirius, 24, 219
 Incorporation, Certificate of, 372
 Instructions, preparing manuscripts, 391-394
 Istiophoridae
 Istiophorus greyi, 77
 Makaira marlina, 76-77
 mitsukurii, 76-77

J

Jackson, Charles E., 4
 Jaibas, 78
 Jewfish, 75-76
 Jorobado, 76
 Jurel, 72

K

Kaku, 268
Katsuwonus pelamis, 72
 Kiya, age and growth, 89-142
 bathymetric distribution, 143-165
 sex ratio, 133-140
 Knife River, planted trout, 51
 Knox dolomite formation, 225

L

"Lab-lab," 262
Lactobacillus casei, 82
 Lake (see under proper name)
 Langostina, 79
Leander debilis, 255, 267-275
 pacificus, 267-275
 Lebiates, 350-359
 Length-frequencies, kiya, 96-107
 bloater, 239-243
 calculated, kiya
 weight relationship, 122-127
 Leonard, Justin W., 4
 Lepisosteidae
 Lepisosteus, 76
Lepomis gibbosus, 360-369
 macrochirus, 360-369
Leucichthys alpenae, 144
 artedi, 144, 230-234
 hoyi, 144-145, 230-249
 Johanna, 144
 kiyi, 89-142, 143-165, 230-249
 nigripinnis, 144
 reighardi, 144-145, 158, 230-249
 senhikius, 144-145
 Lindner, Milton J., 71-80
 Lisa, 74
 Little, G. Scott, 63-70
 Lizard fish, 270
 Hawaiian, 267-275
 Lobster, spiny, 79
 Locke, S. B., 5
 Longjaw, Lake Michigan, 144
 Lookdown, 76
 Lutjanidae, 75
 Lymphocystis disease, 24

M

Macabi, 77
 Macarels, 22
 MacKay, H. H., 3
 Mackere, Pacific, 72
 Spanish, 76
 Maintenance of hatcheries, 26-34

- Makaira marlina*, 76-77
mitsukurini, 76-77
 Manure, sheep, as pond fertilizer, 342-343
 Manuscripts, instructions for preparing, 391-394
Margariscus margarita, 24
 Marked trout, recovery, 172-173
 Marking fish, 360-369
 Marlin, 76-77
Marphysa sanguinea, 274
 Martillo, 73
Mastogloia, 254-255
 Maturity, bloater, 239
 kiyi, size at, 133
 Maxillary tag, 360-369
 McCormac, Fred, 4
 Measurement, methods for fish culture, 19-20
 fish scales, 59-62
 Megalopidae
 Tarpon atlanticus, 75
Melosira, 254-255
 Members, list of, 377-390
Merimnopodia, 254-255
 Mero, 75-76
 Methyl-prange alkalinity, 224-228
 Mexico, commercial fishes, 71-80
 Michigan, Lake, kiyi, age and growth, 89-142
 kiyi distribution and abundance, 143-165
 smelt mortality, 310-337
 spawning of kiyi, 159-164
 temperature, 151-155
 Microbenthos, 262-263
Microcystis, 254-255
Micropterus dolomieu, 338-349
 Migration, planted trout, 44-46
 re smelt mortality, 319-320
 trout, 168-169
 Milkfish, 74-75, 250-261, 262-263, 267-275
 Minnow, pearl, 24
 Mississippi formation, 225
 Mojarra, 76
Mollinnesia latipinna, 255, 265, 268-275
 Mollusca
 Haliotis sp., 79
 Ostrea chilensis, 79
 Pinetada mazatlanica, 80
 Planaxis labiosus, 255
 Tivela stultorum, 80
 West coast of Mexico, 71-80
 Moore, Emmeline, 5
 Mortality, cutthroat trout, 286-287
 planted trout, 52-55
 smelt, 310-337
 trout, 169
 Mottley, C. McC., 4
 Mugilidae
 Mugil capito, 251
 cephalus, 74, 250-261, 262, 264, 267-275
 curema, 74
 Mullet, 74, 250-261, 262, 264, 267-275
 muriate of potash, fertilizer, 342-343
Mycteroperca, 75
 Myers, George S., 4
Myris, 155
 relicta, 236-237
 Myxosporidia, 23
- N
- Nainereis laevigata*, 274
 Natural spawning, efficiency, 200-206
Navicula, 254, 272
 Nematistidae
 Nematistius pectoralis, 77
 Nematoa, 254-255
Neothunnus macropterus, 72
Nereis sp., 268-271
 Nets, experimental, efficiency, 237-238
 gill, 92, 94, 145-147
 in Lake Ontario, 234-239
 Nitrate nitrogen, 346
 Nitrite nitrogen, in fish ponds, 343-346
 Nitrogen content, variations, 338-349
Nitzschia, 254-255
 Nutritional anemia, 81
- O
- Octomitus*, 23
 O'Donnell, D. John, 26-34
Oedogonium sp., 252, 340
 Officers, list of, 3
Oncorhynchus tshawytscha, 293
 Ontanagon River, trout plantings, 37-46
 Ontario, Lake, cisco fishery, 230-249
 growth of kiyi, 107-108
 "Opunhue," 272
 "Oop," 271
 "Oopu akupa," 270
 Ordovician formation, 225
 Organic nitrogen, 346-347
 Oscillatoraceae, 265
 Oscillatoria, 254-255
 Osmeridae
 Osmerus mordax, 234-237, 310-337
 Ostion, 79
Ostrea chilensis, 79
 Otolithidae
 Cynoscion, 75
 macdonaldi, 73-74
 Overcrowding, re smelt mortality, 319
 Oxygen consumption, 214-215
 Oysters, Mexican, 79
 pearl, 80
- P
- Paloma, 77
 Palometa, 77
 Pampano, 77
Panopeus pacifica, 267-275
 Pantothenic acid requirement, trout, 81-87
 "Paoo kaulaloa," 271
Panulirus inflatus, 79
 interruptus, 79
 Papagallo, 77
 Papi, Hawaiian, 267-275
Paralabrax, 75
Paralichthys californicus, 76
Parathunnus mebachii, 72
 Pargo, 75
 Pell, S. Morris, (In Memoriam), 10
Penaeus californiensis, 78
 stylirostris, 78
 vannamiei, 78
 Pennsylvanian formation, 225
 Penobscot River, Atlantic salmon, 188-208
 Percebes, 78
 Perch, yellow, Lake Ontario, 234-237
 Percidae
 Perca flavescens, 234-237
 Stizostedion vitreum glaucum, 234-237
 Pescado blanco del mar, 76
 Pez espada, 77
 Pez gallo, 77
 Pez vela, 77
 Phillips, Arthur M., Jr., 81-87, 297-309
 Physiological change, re smelt mortality, 319
 Pike, walleye, 312

- Pike-perch, blue, 234-237
 Pilchard, 72
Pinctada mazatlanica, 80
 Pinularia, 274
 Pintilla, 75
Planaxis labiosa, 255
 Plantings, trout, 35-38
 Pleistocene formation, 225
 Pleuronectidae
Cyclopetta panamensis, 76
 querna, 76
Pleurosigma, 254-255, 272
Pneumatophorus diego, 72
Podophthalmus vigil, 267-275
 Poeciliidae
Gambusia, 351
affinis, 255, 267-275
Lebistes, 350-359
Mollenesia latipinna, 255, 265-275
Xiphophorus, 351
 Pollution, effect on salmon runs, 189
 re smelt mortality, 317
 Polychaeta, 267-275
Polydora ciliata, 274
Polysiphonia, 254-255
Pomadoury sp., 77
Pomolobus pseudoharengus, 234-237
 Pondfishes, Hawaiian, 250-261, 262-280
 Ponds, nitrogen content variations, 338-349
 fertilizers, 342
Pontoporeia, 155
hoyi, 236-237
 Population depletion, trout, 166-187
 dynamics, 351-354
 laboratory study, 350-359
Portunus sanguinolentus, 268-275
Potamilla elonga, 274
 Pre-Cambrian formation, 225
 President, report of, 13-14
 Presidents, list of past, 6-7
 Pritchard, A. L., 4
 Production, bass in ponds, 338-349
Promicrops itaiara, 75-76
 Propagation, artificial, Atlantic salmon, 188-208
 efficiency, 199-206
Prosopium cylindraceum quadrilaterale, 234-237
 Protozoan fish diseases, 22-24
 Puffer, Hawaiian, 267-275
 Pulvinulina, 255
- Q
- Quijo, 77
- R
- Rayner, H. John, 166-187
 Recovery of marked trout, 172-173
 Reid, Kenneth A., 5
 Relationship, length-weight, 122-127
 Riboflavin requirement, trout, 81-87
 River (see under proper name)
 Robalo, 75
 Roccal, hatchery disinfectant, 209-222
 Rodd, James A., 5, 19-20
Roncador, 77
stearnsi, 77
 Rounsefell, George A., 188-208
- S
- Sábalo, 74-75
 Sabaloite, 74-75
 Sailfin, Hawaiian, 265, 267-275
 Sailfish, 77
 Salinity, trout blood, 297-309
 Salmon, Atlantic, 293-294
 abundance decline, 181-195
 artificial propagation, 188-208
 cycles, 195-199
 chinook, oxygen, consumption, 214-215
 scales, measuring, 59-62
 Salmonidae
Oristiomer namaycush, 234-237
Oncorhynchus tshawytscha, 293
Salmo clarkii henshawi, 281-296
gairdnerii, 63-70, 166-187
salar, 188-208, 293-294
trutta, 35-58, 166-187
Salvelinus fontinalis, 35-58, 81-87, 166-187, 281-296, 297-309
Sarda lineolata, 72
velos, 72
 Sardine, California, 72
Sardinops caerulea, 72
Saurida gracilis, 267-275
 Scale method, 59-62, 92
 Schultz, Leonard P., 4
Sciadeichthys troschelti, 76
 Sciaenidae
Roncador stearnsi, 77
Umbrina sinaloa, 77
 Scofield, W. L., 3
 Scombridae
Pneumatophorus diego, 72
Scomberomorus sierra, 76
 Sculpin, deep-water, 234-237
 northern, 234-237
Scylla serrata, 267-275
 Senescence, re smelt mortality, 319
 Seriolidae
Seriola colburni, 72
dorsalis, 72
 Serranidae
Paralabrax, 75
 Sex ratio, kiwi, 133-140
 Lake Ontario bloater, 239
Lebistes, 357
 Shale formation, Chattanooga, 225
 Shapovalov, Leo, 59-62
 Shark, 73
 Shetter, David S., 35-58
 Shoemaker, Carl D., 3, 5
 Shoemaker, Hurst H., 350-359
 Shoup, C. S., 223-229
 Shrimp, Hawaiian, 267-275
 Mexican, 78
 snapping, 267-275
 Sibley, E. L. (In Memoriam), 10
 Sierra, 76
 Silurian formation, 225
 Simon, James R., 3
 Skipjack, 72
 Sleeper, Hawaiian, 267-275
 Smelt, catch per unit effort, 327-331
 commercial production, 326-333
 Lake Ontario, 234-237
 mortality, 310-337
 species interrelationship, 312
 Smith, M. W., 5
 Smith, Osgood R., 281-296
 Snapper, 75
 Sodium chloride, effect on trout, 297-309
 thiosulphate, as disinfectant, 28
 Spawning, kiwi, 159-164
 loss of weight at, 127-133
 natural, efficiency, 200-206
 results, 281-396
 season, kiwi, 143-165
 Spt, 268

Sphyraenidae

- Sphyraena argentea*, 74
barracuda, 367-275
ensis, 74
Spirogyra, 252, 254-255, 340
Spiroloculina, 255
Sterolepis gigas, 75-76
Stizostedion vitreum glaucum, 234-237
 Stocking trout, spring and fall, 35-58
 Stone, Udell Bennett, 230-249
 Storms, smelt mortality cause, 317
Strongylura sp., 77
 Sturgeon River, trout plantings, 37-46
 Sucker, common, Lake Ontario, 234-237
 Sine-scaled, Lake Ontario, 234-237
 Sunfishes, 24
 pumpkinseed, tagging, 360-369
 Superphosphate, 342-343
 Supersonic vibrations, re smelt mortality, 317
 Surber, Eugene W., 338-349
Surirella, 254-255
 Survival, cutthroat trout, 286-287
 Survival, hatchery trout, 40-42
 re smelt mortality, 319
 Swordfish, 76-77
 Synodontidae
 Saurida gracilis, 267-275

T

- Tagging fish, 360-369
Tarpon atlanticus, 75
 Temperature, Lake Michigan, 151-155
 relation to death rate, 355-357
 re smelt mortality, 318
 Tennessee streams, geological formations,
 223-229
 water analyses, 223-229
 Ten-pounder, 267-275
 Hawaiian, 250-261
 Tetraodontidae
 Tetrodon hispidus, 267-275
Thalmita integra, 273-275
 Third Sister Lake, fish tagging, 360-369
 Thompson, W. T., (In Memoriam), 10
 Thorpe, Lyle M., 166-187
 Thrips, 272
 Thunnidae
 Germo alalunga, 72
 Katsuwonus pelamis, 72
 Neothunnus macropterus, 72
 Parathunnus mebacki, 72
 Sarda lineolata, 72
 velox, 72
 Thunnus thynnus, 72
 Thysanoptera, 272
 Tiburón, 73
Tivela stultorum, 80
 Totoaba, 73-74
 Townsend, Charles H., (In Memoriam), 10
Trachinotus sp., 77
 Treasurer, report of, 14-15
 Trichodina, 24
Trigloporus thompsonii, 234-237
 Trout, brook, depletion, 166-187
 effect of sodium chloride, 297-309
 plantings, 35-58

- riboflavin and pantothenic acid, 81-87
 results, spawning, 281-296
 brown, depletion, 166-187
 plantings, 35-58
 cutthroat, results, spawning, 281-296
 hatcheries, disinfection, 26-34
 maintenance, 26-34
 lake, 312, 234-237
 planted, migration of, 44-46
 population depletion, 166-187
 rainbow, angling experiment, 63-70
 depletion, 166-187
 plantings, 35-58
 scales, measuring, 59-62
Trypanosoma, 23
Tucker, William J., 4
 Tuna, big-eye, 72
 bluefin, 72
 yellowfin, 72
 Tunison, A. V., 81-87

U

- "Ulae," 270
 "Ulua," 272
Uloa, 265
Umbrina sinaloae, 77
 Upper Cretaceous formation, 225

V

- Valisneria*, 351
 Van Oosten, John, 3, 13-14, 310-337
Vaucheria, 252, 254-255, 265
 Vitamin content, diets, 83-85
 studies, trout, 81-87

W

- Wales, Joseph H., (In Memoriam), 10
 Water analyses, geochemical interpretation,
 223-229
 Webster, Dwight A., 63-70, 166-187
 Weight, loss at spawning, 127-133
 growth in, kiwi, 113-116
 Weirs, 78
 Westerman, F. A., 4
 Whitefish, 312
 Lake Ontario, 234-237
 ocean, 76
 round, Lake Ontario, 234-237
 Wickliff, E. L., 4
 Wilens, C. H., (In Memoriam), 10
 Wire, Frank B., 4
 Worms, parasitic, 35

X

- Xanthopterin, 81
 Xiphidae
 Xiphias gladius, 76-77
Xiphophorus, 351

Y

- Yearlings, definition and measurement, 19-20
 Yellowtail, 72

